E-STUDIO 2008A
E-STUDIO 3008A
E-STUDIO 3008A

- > Black & White Multifunction Printer
- > Up to 30 PPM
- > Small/Medium Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready





# CONNECT. INTEGRATE. SIMPLIFY.

# Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customizable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- > Speeds of 20, 25 and 30 PPM
- > High-volume and high-toner yields
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor

#### Produce more with less effort.

The Toshiba e-STUDIO2008A/2508A/3008A is designed to put a fast, efficient, secure MFP in the hands of small and medium workgroups. Not only is it high-volume, it also produces high-quality type and images.

- Impressive resolution with new laser design providing 2,400 dpi x 600 dpi
- A time-saving, high-speed, high-capacity 300-sheet optional Dual-Scan Document Feeder
- > Up to 120,000 maximum monthly copy volume
- > Excellent black toner yields up to 43,900 pages at 5%

The same power and performance typically enjoyed only by larger businesses is now available for smaller groups and companies. After all, size does not have to limit capability, nor production, especially thanks to Toshiba's e-STUDIO2008A/2508A/3008A MFP.



# A COMPACT DESIGN THAT LEAVES NOTHING OUT.

Small to medium workgroups need to get a lot more done often using fewer resources and minimal space. That's the thinking behind the e-STUDIO2008A/2508A/3008A too. Plenty of functions, lots of capacity, and a small footprint with a fresh, new look.

Dual-Scan Document Feeder holds an amazing 300 originals and boasts an impressive 240 images per minute (IPM) by scanning both sides of the page in a single pass.

First Copy Out Time clocks in at an impressive 4.3 seconds.

*Print Around* eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type.

*Limitless Job Reservation* will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the ability to fold without stapling.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed solutions or those from a third party with ease.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

*Paper Volume Indicators* on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Context-Sensitive Help Button provides instant, thorough explanations straight from the manual to help as needed.

Service Module Design significantly reduces the cost and time spent servicing the MFP.











# TOSHIBA TECHNOLOGY AT WORK FOR YOU.

At Toshiba, we work hard to make your work easier, and more productive. In fact, we haven't even mentioned all of our impressive features, like PCL 6, PS3, XPS support and universal drivers that offer connectivity to Windows, Macintosh and more. Then there are driver plug-ins such as Job Point that splits large jobs over multiple machines, Job Replicator for multipart form replacement, Job Separator for batch printing with any Windows app, and Job Build to print different documents together as a single job.

#### Security for Your Business

We're constantly looking for new ways to make your work, and ours, safer, and more secure.

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- FIPS 140-2 Validated SED meets and exceeds government requirements
- IPsec is available to securely encrypt data sent to and from the MFP

## Responsibility for the Planet

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely why we're always looking for ways to be even more environmentally responsible.

- RoHS compliance, the use of recycled plastics, and Low-Power Super Sleep Mode work to help the environment
- > EPEAT Gold Registered in the global registry for greener electronics, designed to help purchasers choose products that reduce environmental impact
- Energy Star V2.0 meets the latest, most stringent requirements



# THE FEATURES YOU EXPECT, AND MORE.

#### 1 Document Feeder Options

Dual-Scan Document Feeder (DSDF) MR4000

MR3031 Reversing Automatic Document Feeder (RADF)

KA5005PC Platen Cover

## 2 Accessory Tray & Keyboard Options

GR1250 Accessory Tray GR9000 Bluetooth Keyboard GR1260 10-Key Numeric Keypad

### 3 Finishing Options

50-Sheet Inner Finisher MJ1042 MJ1109 50-Sheet Console Finisher MJ1110 50-Sheet Saddle-Stitch Finisher

MJ5014 Job Separator

#### 4 Additional Paper Options


KD1058 Paper Feed Pedestal

KD1059LT 2,000-Sheet Large Capacity Feeder Additional Drawer Module for PFP MY1048

MY1049 **Envelope Cassette** 

# **Additional Option Highlights**

- > Embedded OCR Enabler
- > Multi-Station Print Enabler
- Wireless LAN/Bluetooth
- > IPsec Security Enabler
- > Single & Dual-Line Facsimile
- Hidden Card Reader Pocket
- > Expansive Third-Party Solutions List



The e-STUDIO2008A/2508A/3008A includes all the features you would expect from a top quality MFP, along with a few new ones that may come as a pleasant surprise.

# In Control with the Greatest of Ease

A new tiltable, touch swipe 9" color panel works like a tablet or smartphone interface so you can find whatever you need by just swiping your finger.

#### Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, a fast dualcore processor, 4GB RAM and a 320GB FIPS 140-2 Validated SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

#### Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex. A conventional RADF is available for less scan-intensive businesses.

## Special Envelope Cassette

Keep your envelopes firmly in place for accurate printing from start to finish with a new envelope cassette that holds 60 at a time.

#### Add What You Need, All at Once

A 1,200-sheet capacity comes standard, but if you need more, just add 2 optional 550-sheet cassettes or a tandem LCF for 2,000 LT only for a total capacity of 3,200.

## High Volume, High Toner Yield

The monthly copy volume reaches 120,000 and an equally impressive toner yield tops out at 43,900 at 5% coverage.

## **Multi-Station Print Enabler**

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their badge and authenticating at that device.



# C-STUDIO"2008A/2508A/3008A

#### Main Specifications

Copy System Indirect Electrostatic Photographic Method/OPC/Laser Printing/

Heat Roller Fusing

9" Color WVGA Touch Screen Tilting Display Display 20/25/30 PPM (LT)

Copy Speed First Copy Out 4.3/4.3/4.3 Warm-Up Time Approx. 20 Seconds 2,400 x 1200 dpi with Smoothing 3.9" x 5.8" to LD. Envelope Copy Resolution Stack Feed Bypass

Multiple Copying Up to 999 Copies Paper Capacity Standard 1,200 Sheets/Max. 3,200 Sheets Optional 300-Sheet DSDF or 100-Sheet RADF **Original Feed** 

DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color), Scan Speed & Weights

Simplex: 9.3-110 lb Bond, Duplex: 9.3-110 lb Bond

RADF Scan: Up to 73 IPM (Monochrome or Color): Simplex: 9.3-41.8 lb Bond,

Duplex: 13.3-41.8 lb Bond

Max. Original Size

Paper Feed Sizes Drawer 1: 550 Sheets-ST-R to LD Drawer 2: 550 Sheets-ST-R to 12" x 18"

Stack Feed Bypass: 100 Sheets-3.9" x 5.8" to 12" x 18", 12" x 47" Banner Opt. 550-Sheet Paper Feed Pedestal-ST-R to 12" x 18"

Opt. 550-Sheet Drawer for PFP-ST-R to 12" x 18"

Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-ST-R to LG
Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-LT Only

Standard: 550 Sheets x 2-16 lb Bond-140 lb Index **Paper Weights** 

Stack Feed Bypass: 100 Sheets-14 lb Bond-140 lb Index Opt. 550-Sheet Paper Feed Pedestal-16 lb Bond-140 lb Index Opt. 550-Sheet Drawer for PFP -16 lb Bond-140 lb Index Opt. Envelope Cassette for PFP-16 lb Bond-140 lb Index Opt. 2,000-Sheet Tandem LCF (Pedestal Type), 17-28 lb Bond

Duplex Standard Automatic Duplex Unit (16 lb Bond-140 lb Index)

Reproduction Ratio 25% to 400%

Max Duty Cycle Max. 80K/100K/120K Month Weight Approx. 121 lb Approx. Dimensions 23" (W) x 23" (D) x 31" (H)) Toner Yield 43.9K @ 5% **Power Source** 120 Volts, 50/60 Hz, 15 Amps **Power Consumption** Maximum 1.5kW (120V)

Intel Atom™ 1.33GHz (Dual-Core) CPU Memory

320GB Self-Encrypting Drive FIPS 140-2 Validated **Hard Disk Drive** 

# e-BRIDGE Next Print Specifications

PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG 20/25/30 Pages Per Minute (LT) **Print Speed** 

 $600\times600$  dpi (1 bit) or 2,400 x 600 dpi (with Smoothing), 1,200 x 1,200 dpi (2 bit) or 3,600 x 1,200 dpi (with Smoothing) PS3 Only **Print Resolution** 

**Operating Systems** Windows® Vista, Windows Server® 2008/R2, Windows® 7, 8, 8.1, 10,

Windows Server® 2012/R2, Macintosh® (Mac OS × 10.4, 10.5, 10.6, 10.7,

10.8. 10.9, 10.10, 10,11), Unix®, Linux® TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® **Network Protocols** 

Environments, EtherTalk® for Macintosh Environments

SMB, LPR/LPD, IPP (Ver.1.1) w/Authentication, AppleTalk PAP or EtherTalkTM, **Printing Protocols** 

Port 9100 (bi-directional), NetWare P-SERVER LPD w/ iPrint, WS Print, FTP Windows® Vista SP2 (32-bit, 64-bit), Windows Server® 2008 SP2 (32-bit, **Print Drivers** 

64-bit), Windows Server® 2008 R2 SP1 (64-bit), Windows® 7 SP1 (32-bit, 64-bit), Windows® 8/8.1 (32-bit, 64-bit), Windows Server® 2012/R2 (64-bit), Windows® 10 (32-bit, 64-bit), Mac OS® X 10.6.8, 10.7.4, 10.8, 10.9, 10.10

RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed), Optional Interface

802.11b/g/n, Wireless LAN, Optional Bluetooth AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Wireless Device

Android (Available via Apple App Store or Google Play) **Device Management** 

TopAccess, EFMS 6.2 (e-BRIDGE Fleet Management Software)

Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows domain) or Login Name/ Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function

Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable Screen Timeout and Audible Beep Message Alerts

# **Accessibility Features**

**Account Control** 













**Security Features** 

Certification

User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408 EAL3+)\*, IEEE2600.1, IEEE802.1X, Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log

Access Control for Job Log, Security Stamp
\* Compliant with IEEE2600.1 in High security mode.

Energy Star (V2.0), EPEAT Gold, Blue Angel Mark (RAL UZ-171, MFD), Environmental Stds. Canadian ECP, Californian Proposition 65, Nordic Swan, RoHS

WHQL (Windows 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP

#### Scan Specifications

Scan Speed DSDF Scan: Up to 240 IPM Duplex, 120 IPM Simplex (Monochrome or Color)

RADF Scan: Up to 73 IPM (Monochrome or Color) Standard: Full Color, Auto Color, Monochrome, Grayscale Scan Modes 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Scan Resolution **File Formats** 

Monochrome: TIFF-Multil/Single Page, PDF-Multil/Single Page, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX

(Opt.), PPTX (Opt.) Color/Grayscale: JPEG (High, Middle, Low) Image Compression

## **Facsimile Specifications**

Compatibility Super G3 **Data Compression** MH/MR/MMR/JBIG Approx. 3 Seconds Per Page Transmission Speed

Up to 33.6 Kbps Fax Modem Speed

Memory Transmission 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations /Job 0.7 Seconds Per Page, Maximum 73 IPM Scan Speed

#### e-Filing Specifications

**Operation Method** Color Touch Screen Control Panel or Client PC 1 Public Box, 200 Private User Boxes Number of Boxes Capacity of Boxes

100 Folders Per Box, 400 Documents Per Folder/Box,

200 Pages Per Document

# Accessories (Options)

#### Platen & Document Feeder Options

MR4000 RADF MR3031 Platen Cover KA5005PC

**Additional Paper Options** 

Paper Feed Pedestal KD1058 MY1048 Drawer Module Envelope Cassette Option MY1049 KD1059LT Large Capacity Feeder

**Finishing Options** 

Inner Finisher MJ1042 50-Sheets Staple Finisher MJ1109 Saddle-Stitch Finisher M.I1110 Hole Punch Unit for MJ1042 MJ6011 Hole Punch Unit for MJ1109/MJ1110 MJ6105 Bridge Kit KN5005 Job Separator MJ5014

Connectivity/Security Options

FAX Unit/2nd Line for FAX Unit	GD1370
Wireless LAN/Bluetooth	GN4020
Bluetooth Keyboard	GR9000
Accessory Tray	GR1250
Panel 10-Key Option	GR1260
Card Reader Holder	GR1290

Meta Scan Enabler GS1010 GP1080 IPsec Enabler Unicode Font Enabler GS1007 Embedded OCR Enabler GS1080 Single License Five Licenses GS1085 Multi-Station Print Enabler GS1090 Single License Five Licenses GS1095 USB Hub Option GR1270 Advanced Scanning (ReRite) GB1280V8 GB1440 SharePoint Connector GB1450 **Exchange Connector** Google Docs Connector GB1540

**Miscellaneous Options** 

STAND5005 Stand Accessible Arm KK2550 KK5005 Work Trav Harness Kit for Coin Controller GQ1280

Designs and specifications subject to change without notice. For best results and reliable performance, always use supplies manufactured or designated by Toshiba Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage, letter-size page. Driver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. This is a Class 1 laser product complying with IEC60825-1.

DAI HOANG GIA Trading Co., LTD.

TOSHIBA TEC Authorized Distributor in VietNam

Address: 2nd Floor, 18 Tam Trinh, Hai Ba Trung, Ha Noi

E-mail: hanzhong.feng@toshibatec.com.vn

Mr. Trung (Zhong) +84975411815

Website: toshibatec.com.vr Service Hotline: 1800 5 888 10